

Carbon dioxide

Issue Date: 2 Last revised date: Version: 2

20/11/2014 _01/06/2018

VCI51011. Z

1<u>/</u>14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name:	Carbon dioxide	
Trade name:	Carbon Dioxide Food Grade, R744	
Other Name:	R744	
Additional identification		
Chemical name:	Carbon dioxide	
Chemical formula: INDEX No.	CO2 -	
CAS-No.	124-38-9	
EC No.	204-696-9	
REACH Registration No.	Listed in Annex IV/ V of Regulation (EC) N	o 1907/ 2006 (REACH), exempted
	from registration.	
1.2 Relevant identified uses of the substan	ce or mixture and uses advised against	
Identified uses: Uses advised against	 Industrial and professional. Perform risk assessment prior to use. Aerosol propellant. Balance gas for mixtures. Beverage applications. Biocidal uses. Blanketing gas. Blast cleaning. Calibration gas. Carrier gas. Chemical synthesis. Combustion, melting and cutting processes. Cooling applications. Fire suppressant gas. Food freezing. Food packaging gas. Freezing, Cooling and heat transfer. Inerting gas. Inflation systems. Laboratory use. Laser gas. Plant growth promoter. Pressure head gas, operational assist gas in pressure systems. Process gas. Purge gas. Refrigerant. Solvent for extraction. Special effects (entertainment). Test gas. Consumer use. Propellant gas. Shielding gas in gas welding. Industrial or technical grade unsuitable for medical and/ or food applications 	
	or inhalation.	E-mail: ReachSDS@boc.com
1.3 Details of the supplier of the safety data sheet Supplier Adams Gas Strasbourg Street, Westwood Industrial Estate Margate, Kent, UK, CT9 4JF		1.4 Emergency telephone number: 0044 1843 220596 Telephone: 0044 1843 220596

Last revised date: 01/06/2018

Carbon dioxide

 Issue Date:
 20/11/2014

 Last revised date:
 01/06/2018

Version: 2

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended.

Not classified

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards

Gases under pressure Liquefied gas H280: Contains gas under pressure; may explode if heated.

2.2 Label Elements



Signal Words:	Warning	
Hazard Statement(s):	H280: Contains gas under pressure; may explode if heated.	
Precautionary Statement		
Prevention:	None.	
Response:	None.	
Storage:	P403: Store in a well-ventilated place.	
Disposal:	None.	
Supplemental label information		
	EIGA-As: Asphyxiant in high concentrations.	
2.3 Other hazards:	2.3 Other hazards: Contact with evaporating liquid may cause frostbite or freezing of skin.	
SECTION 3: Composition/information on ingredients		

3.1 Substances

Chemical name

Carbon dioxide

2<u>/</u>14

Carbon dioxide

Issue Date: Last revised date:	20/11/2014 _01/06/2018	Version: 2 3/	<u>/</u> 14
INDEX No.:		-	
CAS-No.:		124-38-9	
EC No.:		204-696-9	
REACH Registration	No.:	Listed in Annex IV/ V of Regulation (EC) No 1907/ 2006 (REACH), exempted fror registration.	m
Purity:		100%	
		The purity of the substance in this section is used for classification only and doe not represent the actual purity of the substance as supplied, for which othe documentation should be consulted.	
Trade name:		Carbon Dioxide Food Grade, R744	
SECTION 4: First A	id Measures		

General: In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/ consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self-contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

4.1 Description of first aid measures

Inhalation: In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/ consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self-contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped. Low concentrations of CO2 cause increased respiration and headache.

Eye contact: Rinse the eye with water immediately. Remove contact lenses, if present and easy to do. Continue rinsing. Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical assistance is not immediately available, flush an additional 15 minutes.

Skin Contact:	Contact with evaporating liquid may cause frostbite or freezing of skin.
Ingestion:	Ingestion is not considered a potential route of exposure.

4.2 Most important symptoms and Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to **effects, both acute and** rapid evaporative cooling. **delayed:**

4.3 Indication of any imme	diate medical attention and special treatment needed
Hazards:	Respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.
Treatment:	Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/ attention.

Carbon dioxide

Issue Date:	20/11/2014	Version: 2	
Last revised date:	01/06/2018		4 <u>/</u> 14
Last revised date:	07.09.2016		4/ 13
SECTION 5: Firefig	hting Measures		
General Fire Hazard	ç.		
		Heat may cause the containers to explode.	
5.1 Extinguishing me	edia		
Suitable exting	uishing media:	Material will not burn. In case of fire in the surroundings: use approp	riate
		extinguishing agent. None.	
Unsuitable extinguis	shing media:	None.	
		None.	
5.2 Special hazards a	arising from the	None.	
substance or mixtur	-		
		None.	
Hazardous Comb	ustion Products:		
5.3 Advice for firefig	ters		
Special fire fighting	procedures:	In case of fire: Stop leak if safe to do so. Continue water spray from prote	
		position until container stays cool. Use extinguishants to contain the fire the source of the fire or let it burn out.	. Isolate
Special protective	equipment fo	 Firefighters must use standard protective equipment including flame ret coat, helmet with face shield, gloves, rubber boots, and in enclosed spac 	
firefighters:		Guideline: EN 469 Protective clothing for firefighters. Performance requi	
		for protective clothing for firefighting. EN 15090 Footwear for firefighter	
		Protective gloves for firefighters. EN 443 Helmets for firefighting in build	
		other structures. EN 137 Respiratory protective devices - Self-contained	
		circuit compressed air breathing apparatus with full face mask - Requirer	
		testing, marking.	nento,
		נכזנווק, וומו אווק.	

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:	Evacuate area. Provide adequate ventilation. Prevent from entering sewers, basements and work pits, or any place where its accumulation can be dangerous. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. EN 137 Respiratory protective devices - Self- contained open circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.
6.2 Environmental Precautions:	Prevent further leakage or spillage if safe to do so.

Carbon dioxide

Issue Date: Last revised date:	20/11/2014 _01/06/2018	Version: 2 5 <u>/</u> 14
6.3 Methods and ma containment and cle		Provide adequate ventilation.
6.4 Reference to oth	ner sections:	Refer to sections 8 and 13.
SECTION 7: Handli	ng and Storage:	
7.1 Precautions for s	safe handling:	Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment e.g. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow back feed into the container. Avoid suck back of water, acid and alkalis. Keep container below 50°C in a well-ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/ national/ international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place. Depressurisation of liquid CO2 below approximately 5 bar can create solid CO2 which may block protective devices, pipework and create dry-ice within containers. Containers, which contain or have contained flammable or explosive substance
7.2 Conditions f including any incom		ge, Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.

Carbon dioxide

 Issue Date:
 20/11/2014

 Last revised date:
 01/06/2018

Version: 2

7.3 Specific end use(s):

None.

6<u>/</u>14

Carbon Dioxide

 Issue Date:
 20/11/2014

 Last revised date:
 01/06/2018

Version: 2

SECTION 8: Exposure Controls/ Personal Protection

8.1 Control Parameters Occupational Exposure Limits

Chemical name	type	Exposure Limit \	Values	Source
Carbon dioxide	TWA	5,000 ppm		UK. EH40 Workplace Exposure Limits (WELs) (12 2011)
	STEL	15,000 ppm		UK. EH40 Workplace Exposure Limits (WELs) (12 2011)
	TWA	5,000 ppm	mg/ m3	EU. Indicative Exposure Limit Values in Directives 91/ 322/ EEC, 2000/ 39/EC, 2006/ 15/ EC, 2009/ 161/ EU (12 2009)

8.2 Exposure controls

Appropriate engineering
controls:Consider a work permit system e.g. for maintenance activities. Ensure adequate air
ventilation. Oxygen detectors should be used when asphyxiating gases may be
released. Provide adequate ventilation, including appropriate local extraction, to
ensure that the defined occupational exposure limit is not exceeded. Systems under
pressure should be regularly checked for leakages. Preferably use permanent leak tight
connections (e.g. welded pipes). Do not eat, drink or smoke when using the product.

Individual protection measures, such as personal protective equipment

General information:	A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self-contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
Eye/face protection:	Safety eyewear, goggles or face-shield to EN166 should be used to avoid exposure to liquid splashes. Wear eye protection to EN 166 when using gases. Guideline: EN 166 Personal Eye Protection.
Skin protection	
Hand Protection:	Wear working gloves while handling containers Guideline: EN 388 Protective gloves against mechanical risks.
Body protection:	No special precautions.
Other:	Wear safety shoes while handling containers Guideline: ISO 20345 Personal protective equipment - Safety footwear.
Respiratory Protection:	Not required.
Thermal hazards:	No precautionary measures are necessary.

7/14

Carbon Dioxide

Issue Date: Last revised date:	20/11/2014 01/06/2018	Version: 2	8 <u>/</u> 14
Hygiene measures:		Specific risk management measures are not required beyond good industrial hygiene and safety procedures. Do not eat, drink or smoke when using the product.	
Environmental expos	sure controls:	For waste disposal, see section 13.	

SECTION 9: Physical And Chemical Properties

9.1 Information on basic physical and chemical proper	ties Appearance
Physical state:	Gas
Form:	Liquefied gas
Colour:	colourless
Odour:	Odourless
Odour Threshold:	Odour threshold is subjective and is inadequate to warn of
	over exposure.
pH:	3.2 - 3.7 The pH of saturated CO2 solutions varies from 3.7 at
	101 kPa (1 atm) to 3.2 at 2370 kPa (23.4 atm)
Melting Point:	-56.6 °C
Boiling Point:	-78.5 °C
Sublimation Point:	-78.5 °C
Critical Temp. (°C):	31.0 °C
Flash Point:	Not applicable to gases and gas mixtures.
Evaporation Rate:	Not applicable to gases and gas mixtures.
Flammability (solid, gas):	Non-flammable Gas
Flammability limit - upper (%):	not applicable.
Flammability limit - lower(%):	not applicable.
Vapour pressure:	45.1 bar (10 °C)
Vapour density (air=1):	1.522 (21 °C)
Relative density:	1.512
Solubility(ies)	
Solubility in Water:	2.900 mg/l (25 °C)
Partition coefficient (n-octanol/water):	0.83
Autoignition Temperature:	not applicable.
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	0.07 mPa.s (20 °C)
Explosive properties:	Not applicable.
Oxidising Properties:	not applicable.
9.2 Other information:	Gas/vapour heavier than air. May accumulate in confined

Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

Carbon Dioxide

Issue Date: Last revised date:	20/11/2014 <u>01/06/2018</u>	Version: 2	9 <u>/</u> 14
Molecular weight:		44.01 g/mol (CO2)	
SECTION 10: Stabi	lity and Reactivit	ty	
10.1 Reactivity:		No reactivity hazard other than the effects described in sub-section below.	
10.2 Chemical Stabil	ity:	Stable under normal conditions.	
10.3 Possibility of Ha Reactions:	azardous	None.	
10.4 Conditions to A	void:	None.	
10.5 Incompatible Materials:		No reaction with any common materials in dry or wet conditions.	
10.6 Hazardous Deco Products:	omposition	Under normal conditions of storage and use, hazardous decomposition produs should not be produced.	ıcts

SECTION 11: Toxicological Information

General information: In high concentrations may cause rapid circulatory deterioration even at normal levels of oxygen concentration. Symptoms are headache, nausea and vomiting, which may lead to unconsciousness and even death.

11.1 Information on toxicological effects

Acute toxicity - Oral Product	Based on available data, the classification criteria are not met.
Acute toxicity - Dermal Product	Based on available data, the classification criteria are not met.
Acute toxicity - Inhalation Product	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation Product	Based on available data, the classification criteria are not met.
Serious Eye Damage/Eye Irritation Product	Based on available data, the classification criteria are not met.
Respiratory or Skin Sensitisation Product	Based on available data, the classification criteria are not met.

Carbon Dioxide

Issue Date:	20/11/2014	Version: 2	
Last revised date:	01/06/2018		10 <u>/</u> 14
Germ Cell Mutagen	icity		
Product		Based on available data, the classification criteria are not met.	
.			
Carcinogenicity			
Product		Based on available data, the classification criteria are not met.	
Reproductive toxici	+./		
Product	cy	Based on available data, the classification criteria are not met.	
Troduct		based on available data, the classification effective are not met.	
Specific Target Orga	an Toxicity - Single	Exposure	
Product	, 0	Based on available data, the classification criteria are not met.	
Specific Target Orga	an Toxicity - Repea	ated Exposure	
Product		Based on available data, the classification criteria are not met.	
Aspiration Hazard			
Product		Not applicable to gases and gas mixtures.	
			1
SECTION 12: Ecolo	ogical Informatio	on	
12.1 Toxicity			
A			
Acute toxicity			
Product		No applexical damage caused by this product	
		No ecological damage caused by this product.	
12.2 Persistence an	d Degradability		
Product		Not applicable to gases and gas mixtures.	
12.3 Bioaccumulativ	ve Potential	The product is expected to biodegrade and is not expected to persist fo	or long
Product		periods in an aquatic environment.	
		he construction of the second s	
12.4 Mobility in Soi	l Product		
12.4 Wobinty III 30	rroduct	Because of its high volatility, the product is unlikely to cause ground or wa	ter
		pollution.	
12.5 Results of PBT	and vPvP		
assessment			
Product		Not classified as PBT or vPvB.	
12.6 Other Adverse	Efforte		
12.0 Uther Adverse	LITEUIS:		
Global Warmi	ing Potential		
	ing rotential	Global warming potential: 1	
		When discharged in large quantities may contribute to the greenhouse effe	ect.

Carbon Dioxide

Version: 2

 Issue Date:
 20/11/2014

 Last revised date:
 01/06/2018

11<u>/</u>14

Carbon dioxide

UN / IPCC. Greenhouse Gas Global Warming Potentials (IPCC Fourth Assessment Report, Climate Change, Table TS.2 - Global warming potential: 1 100-yr

SECTION 13: Disposal Considerations

13.1 Waste treatment methods

General information: Do not discharge into any place where its accumulation could be dangerous. Vent to atmosphere in a well-ventilated place.

Disposal methods:	http://www of container	Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.	
<u>European Waste Codes</u> Container:	16 05 05:	Gases in pressure containers other than those mentioned in 16 05 04.	

SECTION 14: Transport Information

14.1 UN Number:UN 101314.2 UN Proper Shipping Name:CARBON DIOXIDE14.3 Transport Hazard Class(es)CClass:2Label(s):2.2Hazard No. (ADR):20Tunnel restriction code:(C/ E)Emergency Action Code:2T14.4 Packing Group:-14.5 Environmental hazards:not applicable14.6 Special precautions for user:-14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)CClass:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable14.5 UN Proper Shipping NameCARBON DIOXIDE14.5 Transport Hazard Class(es)-Class:214.5 Environmental hazards:not applicable14.5 Environmental hazards:-14.6 Special precautions for user:-	ADR	
14.3 Transport Hazard Class(es)Class:2Label(s):2.2Hazard No. (ADR):20Tunnel restriction code:(C/ E)Emergency Action Code:2T14.4 Packing Group:-14.5 Environmental hazards:not applicable14.6 Special precautions for user:-RID14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)2Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.1 UN Number:	UN 1013
Class:2Label(s):2.2Hazard No. (ADR):20Tunnel restriction code:(C/ E)Emergency Action Code:2T14.4 Packing Group:-14.5 Environmental hazards:not applicable14.6 Special precautions for user:- RID VIN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)2Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.2 UN Proper Shipping Name:	CARBON DIOXIDE
Label Label(s):2.2Hazard No. (ADR):20Tunnel restriction code:(C/ E)Emergency Action Code:2T14.4 Packing Group:-14.5 Environmental hazards:not applicable14.6 Special precautions for user:-RID14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)2Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.3 Transport Hazard Class(es)	
Hazard No. (ADR):20Tunnel restriction code:(C/ E)Emergency Action Code:2T14.4 Packing Group:-14.5 Environmental hazards:not applicable14.6 Special precautions for user:- RID -14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)2Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	Class:	2
Tunnel restriction code:(C/ E)Emergency Action Code:2T14.4 Packing Group:-14.5 Environmental hazards:not applicable14.6 Special precautions for user:-RID14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)2Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	Label(s):	2.2
Emergency Action Code:2T14.4 Packing Group:-14.5 Environmental hazards:not applicable14.6 Special precautions for user:- RID -14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)2Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	Hazard No. (ADR):	20
14.4 Packing Group:–14.5 Environmental hazards:not applicable14.6 Special precautions for user:– RID –14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)–Class:2Label(s):2.214.4 Packing Group:–14.5 Environmental hazards:not applicable	Tunnel restriction code:	(C/ E)
14.5 Environmental hazards:not applicable14.6 Special precautions for user:- RID UN 101314.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)Carbon DioxideClass:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	Emergency Action Code:	2Т
14.6 Special precautions for user:-RIDUN 101314.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)Class:Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.4 Packing Group:	-
RID14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)Class:Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.5 Environmental hazards:	not applicable
14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)Class:Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.6 Special precautions for user:	-
14.1 UN Number:UN 101314.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)Class:Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable		
14.2 UN Proper Shipping NameCARBON DIOXIDE14.3 Transport Hazard Class(es)Class:Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	RID	
14.3 Transport Hazard Class(es)Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.1 UN Number:	UN 1013
Class:2Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.2 UN Proper Shipping Name	CARBON DIOXIDE
Label(s):2.214.4 Packing Group:-14.5 Environmental hazards:not applicable	14.3 Transport Hazard Class(es)	
14.4 Packing Group:–14.5 Environmental hazards:not applicable	Class:	2
14.5 Environmental hazards: not applicable	Label(s):	2.2
	14.4 Packing Group:	-
14.6 Special precautions for user: –	14.5 Environmental hazards:	not applicable
	14.6 Special precautions for user:	-

Carbon Dioxide

20/11/2014	Version: 2	
01/06/2018		12 <u>/</u> 14
	UN 1013	
ping Name:	CARBON DIOXIDE	
rd Class(es)		
	2.2	
	2.2	
	F-C, S-V	
	_	
hazards:	not applicable	
ions for user:	-	
er:	UN 1013	
ipping Name:	Carbon dioxide	
: Hazard Class(es):		
	2.2	
	2.2	
roup:	_	
ental hazards:	not applicable	
ecautions for user: Other	_	
ger and cargo aircraft:	Allowed.	
	Allowed	
	<u>01/06/2018</u> ping Name: rd Class(es) hazards: ions for user: er: ipping Name: Hazard Class(es): roup: ental hazards: ecautions for user: Other ger and cargo aircraft:	O1/06/2018UN 1013ping Name:rd Class(es)2.22.22.22.2F-C, S-V-hazards:ions for user:-ther:UN 1013ipping Name:Carbon dioxideHazard Class(es):2.22.2roup:-ental hazards:not applicableental hazards:on tapplicableental hazards:-

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

Additional identification: Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Directive 96/61/EC: concerning integrated pollution prevention and control (IPPC): Article 15, European Pollution Emission Registry (EPER):

Chemical name	CAS-No.	Concentration
Carbon dioxide	124-38-9	100%

Carbon Dioxide

 Issue Date:
 20/11/2014

 Last revised date:
 01/06/2018

Version: 2

13<u>/</u>14

National Regulations

Management of Health and Safety at Work Regulations (1999 No. 3242). The Regulatory Reform (Fire Safety) Order 2005 (2005 No. 1541). Control of Substances Hazardous to Health Regulations (COSHH, 2002 No. 2677). Provision and Use of Work Equipment Regulations (PUWER, 1998 No. 2306). Personal Protective Equipment Regulations (1992 No. 2966). Control of Major Accident Hazards Regulations (COMAH, 2015 No. 483). Pressure Systems Safety Regulations (PSSR, 2000 No. 128). Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No.

231/ 2012 and are labelled as such may be used as food additives.

This Safety Data Sheet has been produced to comply with Regulation (EU) 453/ 2010.

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other Information

Revision Information: Not relevant.

Key literature references and Various sources of data have been used in the compilation of this SDS, they include **sources for data:** but are not exclusive to:

Agency for Toxic Substances and Diseases Registry (ATSDR) (http://www.atsdr.cdc.gov/).

European Chemical Agency: Guidance on the Compilation of Safety Data Sheets. European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search

European Industrial Gases Association (EIGA) Doc. 169 Classification and Labelling guide.

International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures -

Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets.

Matheson Gas Data Book, 7th Edition.

National Institute for Standards and Technology (NIST) Standard Reference Database Number 69.

The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/).

The European Chemical Industry Council (CEFIC) ERICards.

United States of America's National Library of Medicine's toxicology data network

TOXNET (http://toxnet.nlm.nih.gov/index.html)

Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH).

Substance specific information from suppliers.

Details given in this document are believed to be correct at the time of publication. EH40 (as amended) Workplace exposure limits.

Wording of the R-phrases and H-statements in sections 2 and 3

H280 Contains gas under pressure; may explode if heated.

Training information: Users of breathing apparatus must be trained. The hazard of asphyxiation is often overlooked and must be stressed during operator training. Ensure operators understand the hazards.

Classification according to Regulation (EC) No 1272/ 2008 as amended.

Press. Gas Liq. Gas, H280

Carbon Dioxide

 Issue Date:
 20/11/2014

 Last revised date:
 01/06/2018

Version: 2

14<u>/</u>14

Other information: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/ local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted. Note: When the Product Name appears in the SDS header the decimal sign and its position comply with rules for the structure and drafting of international standards and is a comma on the line. As an example, 2,000 is two (to three decimal places) and not two thousand, whilst 1.000 is one thousand and not one (to three decimal places).

Last revised date: Disclaimer: 07.09.2016

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.